

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://velp.nt-rt.ru/> || vpe@nt-rt.ru

FIWE ADVANCE

Automatic Fiber Analyzer

Crude and Detergent Fiber Determination
according to Official Methods



FIWE Advance Fiber Analyzer

The FIWE Advance is a fully automatic analyzer for Crude and Detergent Fiber determination according to standard methods. State-of-the-art technology ensures safety, premium remote connectivity and a unique user experience. FIWE Advance Load&Go operation, requires a minimum operator time of only 2 minutes, to improve lab productivity.

COMPLIANCE AND CONSISTENCY

- The FIWE Advance crucible method is adherent to official standards (ISO and AOAC) ensuring reliability and efficiency.
- Crude Fiber determination and Detergent Fiber determination of NDF, ADF and ADL.
- Fiber residues stay in crucibles during all steps of the analysis eliminating the risk of errors and ensuring consistent results.

LOAD THE SAMPLES AND GO

- The FIWE Advance heats and doses the required reagents precisely to analyze up to 6 samples.
- The VELP Dispensing Nozzle drives the reagents precisely into each column avoiding user contact with hot chemicals and fumes.
- FIWE Advance automates digestion, filtration and washing steps without any operator intervention.

SAVING TIME AND MONEY

- The operator time required is as little as 2 minutes.
- FIWE Advance treats each sample individually and takes care of each step of the analysis allowing for overnight work.
- The FIWE Advance automatic processes free up valuable time enhancing lab productivity and saving money.

COMPLETE SAFETY

- All the reagents required are contained in dedicated glass tanks and bottles located inside the instrument.
- The FIWE Advance pre-heats, dispenses, and collects hot chemicals automatically so the risk of contact with the operator is eliminated.

SMART AND EASY TO USE

- The 7" color touch screen offers simple and intuitive user interface designed to simplify operations.
- Choose from preset methods or customize your own, mark as your favorites for quick access.
- Optional balance connection and barcode scanner are available to simplify analysis preparation.



TEMS™ Technology
Save Time, Energy, Money and Space.

THE MAIN FIBER DETERMINATION OFFICIAL METHODS

CRUDE FIBER (Weende Method)

The crude fiber is a method of analysis based on the estimation of the amount of fiber or plant cell walls. Crude fiber is also known as Weende method and is widely spread for the determination of fiber content for monogastrics.

DETERGENT FIBER (Van Soest Method)

Van Soest method is based on the concept that plant cell can be divided into less digestible cell walls consisting of hemicellulose, cellulose and lignin. As a result is possible to fraction fiber in NDF, ADF and ADL that are used to estimate the energy intake from feed and particularly for ruminants.


CRUDE FIBER ANALYSIS - CF	EN ISO 6865	AOAC 978.10
NEUTRAL DETERGENT FIBER - NDF, aNDF	ISO 16472	AOAC 2002.04
ACID DETERGENT FIBER and LIGNIN - ADF, ADL	EN ISO 13906	AOAC 973.18

Load and Go!

Drastically reduce the manual and repetitive operation of Fiber analysis to save time and increase productivity in your lab. The fully automatic FIWE Advance system takes care of each step and guarantees consistency and repeatability.

FIWE ADVANCE	SEMI AUTOMATIC EXTRACTOR
 OPERATOR TIME in front of the instrument (Crude Fiber determination) 1' ● Crucible loading and instrument start Preheating and reagent loading (acid + antifoam) Heating up until reagent boiling Filtration and washing (hot water) Preheating and reagent loading (alkali + antifoam) Heating up until reagent boiling Filtration and washing (hot water) 1' ● Crucible removing TIME OF ANALYSIS: 120 MIN	 OPERATOR TIME in front of the instrument (Crude Fiber determination) 1' ● Crucible loading and instrument start 5' ✎ Preheating and reagent loading (acid + antifoam) 10' ✎ Heating up until reagent boiling 10' ✎ Filtration and washing (hot water) 5' ✎ Preheating and reagent loading (alkali + antifoam) 10' ✎ Heating up until reagent boiling 15' ✎ Filtration and washing (hot water) 1' ● Crucible removing TIME OF ANALYSIS: 120 MIN
 TOTAL OPERATOR TIME: 2 MIN	 TOTAL OPERATOR TIME: 57 MIN

VELP ERMES CONNECTION



Connect the FIWE Advance to the exclusive VELP Ermes Cloud Platform to improve your laboratory experience. The VELP Ermes Cloud Platform connection will unburden you from tedious tasks, improving your lab productivity.


- Enhanced analytical and service support resulting in the highest system uptime
- Real time monitoring and control of the instrument from PC, smartphone and tablet whenever you want, wherever you are
- Immediate alert and notification with the possibility to stop the instrument for maximum safety
- Regular software updates will guarantee the best performance and new features with just one-click

ermes enabled



**EASY TO USE,
INTUITIVE & SMART**

**FULLY AUTOMATIC AND
COMPLIANT TO OFFICIAL METHODS**



**STATE-OF-THE-ART
SAFETY**

OPTIONAL ACCESSORIES

Glass crucible P0 6pcs/box	A00000138
Glass crucible P1 6pcs/box	A00000139
Glass crucible P2 6pcs/box	A00000140
Glass crucible P3 6pcs/box	A00000137
Adapter USB-RS232	A00000195
Barcode scanner with USB socket	A00000364
Wireless barcode scanner	A00000365
H ₂ O residues tank with caps	A00000266
Oat meal, 30g	A00000318
IQ/OQ FIWE Advance Manual	A00000386
VELP Ermes 1 Year Connection	E00010012
VELP Ermes 3 Years Connection	E00010036


INSTRUMENT - CODE

FIWE Advance	230 V / 50-60 Hz	F30500500
---------------------	------------------	------------------

SUPPLIED WITH

VELP Ermes 1 Year Connection	E00010012
Glass crucibles P2 6 pcs/box	A00000140
Calibration pump device	A00000384
Cooling tap water inlet tube	10000280
PVC tube Ø 7x10 mm	10001086
EPDM tube Ø 6.4x11.2 mm	10002412
Inlet tube for distilled H ₂ O	40000153
Outlet tube for residues	40000387
Pincer for crucibles	10000247
Holder for crucibles	40002662
Heat shield	40002545
Handling device for crucibles	40002596
USB Wi-Fi Adapter	A00000392

Premium technology



TECHNICAL DATA

	FIWE ADVANCE
POSITIONS / NUMBER OF SAMPLES	Up to 6 samples simultaneously
CAPACITY PER DAY	Up to 36 (Crude Fiber / Weende Method) Up to 60 (Other Methods)
SAMPLES PROCESSING	Individually processed
SAMPLE QUANTITY	From 0,5 to 3 g
DISPLAY	7" LCD color touch screen
MEASURING RANGE	0.1-100%
REPEATABILITY	± 1% relative at 5%-30% fiber level
BARCODE READER CONNECTION	Yes
LIGHTING	LED showing active positions
HEATING AND DISPENSING OF REAGENTS	Automatic
REAGENT PRE-HEATING TIME	5 - 7 min
TIME FROM PRE-HEATED TEMPERATURE TO BOILING	5 - 10 min
CONNECTIVITY	Cloud via USB Wi-Fi adapter and LAN
INTERFACES	3 x USB, Ethernet (PC)
RESULT CALCULATION	Automatic, On-board archive for data storage
PROTOCOL LIBRARY	5 standard methods + 30 customizable methods
WATER CONSUMPTION	From 1.0 l/min
DIMENSION (WXDXH)	735 x 420 x 666 mm 28,9 x 16,5 x 26,2 in
WEIGHT	57 Kg 125 lb
POWER SUPPLY	230 V – 50/60 Hz
POWER CONSUMPTION	2100 W

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://velp.nt-rt.ru/> || vpe@nt-rt.ru